THE SOUTHWESTERN NATURALIST

INDEX TO VOL. 14

1969

ERIC G. BOLEN

A

Abgrallaspis coloratus, 101
Abgrallaspis comstocki, 103
Abgrallaspis cyanophylli, 103
Abgrallaspis howardi, 104
Acris crepitans, Pleistocene of Texas, 205
Agalychnis dacnicolor, 131
Alligator mississipiensis, Pleistocene of Texas, 206
Amphibians, from Southern Guerrero and Oaxaca, Mexico, 129
Ambystoma tigrinum, Pleistocene of Texas, 204
Anas carolinensis, ecology in early fall, 171
Anolis subocularis, 132
Arachnida, 136
Armored scale insects of Texas, 89, 411
Arctosa littoralis, 406
Artibeus, review in Middle America, Part I, 15
Artibeus, review in Middle America, Part II, 389
Artibeus aztecua major, subsp. nov., 22
Artibeus aztecus minor, subsp. nov., 22
Artibeus phaeotis, 395
Artibeus phaeotis palatinas, subsp. nov., 400
Artibeus phaeotis phaeotis, 397
Artibeus phaeotis nanus, 399
Artibeus toltecus hesperus, subsp. nov., 25
Artibeus toltecus toltecus, 26
Artibeus watsoni, 389
Asio otus, feeding ecology, 163
Aspidiotini, Tribe in Texas, 411
Austin, George T., 362
Axtell, Carol A., 363
Axtell, Ralph W., 363

B

Badger, records from Mexico, 251
Baker, Robert J., 249, 449
Baker, Rollin H., 251
Barbour, Roger W., 353
Barker, W. T., 128
Bartramia longicauda, at Big Bend National Park, 361
Bass, white bass sexual maturity, 213
Bats, chromosomes of vespertilionid bats, 249
Bats, flights over a pond, 360
Bats, records from Tamaulipas, 358
Bat, red bat in Baja California, 361
Bats, review of small fruit bats in Middle America, Part I, 15; Part II, 389
Bat, silver-haired, at Wichita Falls, 449
Bats, taxonomic status of long-eared bats, 1
Bixler, David E., 403
Birds, records from Death Valley Region, 362
Bird, winter records from Chisos Mountains, 252
Bogan, M. A., 136
Bolen, Eric G., 171
Bowers, J. Hoyt, 451
Brown, Bradford E., 221
Branson, Branley A., 371
Brown, Carl K., 128
Bufo coccifer, 130
Bufo cognatus (?), Pleistocene of Texas, 205
Bufo gemmifer, 131
Bufo marmoreus, 131

Bufo speciosus (?), Pleistocene of Texas, 205
Bufo virginianus, feeding ecology, 163
Bufo woodhousei (?), Pleistocene of Texas, 205

C

Capparidaceae, 115
Carley, Curtis J., 351
Cave, temperate and tropical cave communities, 73
Ceratophyllus celsus, record in New Mexico, 371
Ceratophyllus petrochelidoni, record in New Mexico, 371
Chipmunks, taxonomy and ecology of siblings, 283
Choate, Jerry R., 356, 358
Clifton, Percy L., 358
Cnemidophorus d. deppei, 132
Cnemidophorus guttatus immutabilis, 133
Cnemidophorus tigris, demographic population analysis, 189
Coccoidea, in Texas, 89, 411
Coluber sp., Pleistocene of Texas, 209
Colubrina stricta, new species, 257
Communities, in temperate and tropical caves, 73
Comstockiella sabalis, 89
Corallorhiza wisteriana (Orchidaceae) new to New Mexico, 447
Craven, Richard E., 221
Cronkite, Donald, 283
Cross, Frank B., 370
Crotalus atrox, Pleistocene of Texas, 209
Crotaphytus collaris, Pleistocene of Texas, 206
Crytocellus osorioi, 136
Cucurbita, electrophoretic survey, 141
Cyprinodontidae, feeding habits, 368
Cyprinodon variegatus, feeding habits, 368

D

Davis, Wayne H., 353
Davis, William B., 15, 389
Desert shrew, chromosomes of, 448
Deserts, Deserts of the World, ed. by W. G. McGinnies, B. J. Goldman, and Patricia Paylore (review) 373
Diaspididae, in Texas, 89, 411
Diaspidiotus ancylus, 91
Diaspidiotus bumeliae, 93
Diaspidiotus coniferarum, 93
Diaspidiotus crystallinus, 94
Diaspidiotus liquidambaris, 96
Diaspidiotus osborni, 98
Diaspidiotus uvae, 98
Dipodomys, range and ecology, 351
Dixon, James R., 255
Dundee, Harold A., 129

E

Ecology, Wolf spider (Lycosidae: Araneae) in Grand County, Utah, 403
Enright, Michael J., 358
Euphorbia exigua, new to Texas, 258
Euphorbia exstipulata lata, var. nov., 127
Euphorbia Geyeri Wheeleriana, var. nov., 127, 128
Eurycea multiplicata griseogaster, rediscovery in Kansas, 366; eggs, 366
Eutamias, taxonomy and ecology of siblings, 283

F

Fishes, distribution following dam closure, 297
Fleas, records of bird fleas in New Mexico, 371
Flora, Rocky Mountain Flora by William A. Weber (review), 373
Forcum, Donald L., 371
Foxes, distributional notes in western Texas and eastern New Mexico, 450
Fox sparrow, in west Texas, 452
Franklin, Donald R., 297

G

Gastropods, from Texas, New Mexico, and Mexico, 371
Gennaro, A. L., 251
Genoways, Hugh H., 1
Gilbertson, Robert L., 123
Goertz, John W., 254
Goldman, B. J., 373
Gopher, chromosomes, 157

H

Hardin, James W., 353
Harrel, Richard C., 231
Heitschmidt, Rodney K., 337
Hemiberlesia diffinis, 107
Hemiberlesia lataniae, 109
Hemiberlesia popularum, 111
Hemiberlesia rapax, 111
Hemidactylus frenatus, 132
Herpetofauna, Pleistocene of Slaton, Texas, 203
Hess, William J., 448
Hoddenbach, Gerard A., 189
Hoffman, G. R., 327
Holman, J. Alan, 203
Holbrookia sp., Pleistocene of Texas, 206
Homoptera, in Texas, 89, 411
Hsu, T. C., 449
Hulett, G. K., 337
Hypopachus caprimimus, 132
Hyla euphorbiacea, 131
Hyla microcephala sartori, 131
Hyla smithi, 132
Hyla staufferi, 132

I

Ictaluridae, range extension, 256
Iguanidae, hibernacula, birth, and young, 363
Iltis, Hugh H., 115
Indigo bunting, in west Texas, 452
Inonotus arizonicus, sp. nov., 123
Inonotus, new species on sycamores, 123
Insects, armored scale insects of Texas, Part II, 89
Insects, armored scale insects of Texas, Part III, 411
Invertebrates, benthic macroinvertebrates, 221, 231
Ireland, Patrick H., 366

J

Jones, J. Knox, Jr., 1, 356, 361
Johnson, James E., 368
Johnson, R. Roy, 448
Johnston, Marshall C., 127, 257, 258, 259, 372
Judd, Frank W., 261

K

Keasey, Merrit S., III, 251
Kee, David T., 358
Kilambi, Raj V., 213
Kobetich, Gail, 368
Kramer, Robert H., 297

L

Lake, limnological features after drainage and flooding, 317
Lampropeltis getulus, Pleistocene of Texas, 209
Lampropeltis triangulum, 133
Lannom, Joseph R., Jr., 189
Lasionycteris noctivagans, at Wichita Falls, Texas, 449
Lasiurus borealis, in Baja California, 361
Lasiurus, chromosomes, 249
Leptodeira annulata cussiliris, 133
Leptodactylus labialis, 131
Limnology, after lake drainage and flooding, 317
Liner, Ernest A., 129
Lizard, demographic population analysis, 189
Lizard, gekkonid lizard in Mexico, 255
Long, Charles A., 283
Lycosa gosiuta, 407
Lycosa sp. (*avida*), 407
Lycosidae: Araneae, ecology of wolf spiders in Utah, 403

M

Mahmoud, I. Y., 31
Mammals, The biology of, Richard Van Gelder (review), 453
Marti, Carl D., 163
Martin, F. Douglas, 368
Martin, Robert E., (reviewer), 453
Mascarello, James T., 249
McCarley, Howard, 293
McCarley, Howard, (reviewer), 374
McClure, William L., 129
McDaniel, Burruss, 89, 411
McGinnies, W. G., 373
McGregor, Ronald L., 128
Medica, Philip A., 189
Melanaspis delicata, 412
Melanaspis deliquescens, 412

Melanaspis elaeagni, 415
Melanaspis, key to Texas, 411
Melanaspis latipyga, 415
Melanaspis lilacina, 415
Melanaspis nigropunctata, 418
Melanaspis obscura, 418
Melanaspis smilacis, 421
Melanaspis tenebricosa, 423
Microtus mexicanus, reproduction, 356
Microtus ochrogaster, southern records, 358
Mitchell, Robert W., 73, 136
Mollhagen, T. R., 134
Morganella cueroensis, 425
Mouse, hispid pocket mouse in San Luis Potosí, 251
Mouse, geographic variation in deer mouse, 261
Mowbray, Elmer E., 254
Myotis auriculus apache, 11
Myotis auriculus auriculus, 10
Myotis, taxonomic status, 1

N

Natrix erythrogaster, Pleistocene of Texas, 208
Newton, Scott H., 213
Notiosorex crawfordi, chromosomes of, 448
Notiosorex crawfordi, distribution notes, 128
Notiosorex crawfordi, longevity and feeding records, 251
Notropis girardi, in Red River system, 370
Noturus eleutherus, range extension, 256
Nuculaspis californica, 425

O

Oaks, seedling survival, 149
Opheodrys vernalis blanchardi, new record in Texas, 129
Ovenbird, in west Texas, 451
Owls, feeding comparisons, 163

P

Packard, Robert L., 451
Pardosa groenlandica, 409
Pardosa sierra, 408
Pardosa sternalis, 407
Pase, C. P., 149
Passerines, notes on from West Texas, 451
Paylore, Patricia, 373
Perognathus hispidus, in San Luis Potosí, 251
Peromyscus, *Biology* of *Peromyscus* (Rodentia), ed. by John A. King (review), 374
Peromyscus maniculatus, geographic variation, 261
Peterson, Michael K., 251
Phyllodactylus tuberculosus magnus, 132
Phyllodactylus unctus, in Mexico, 255
Phrynosoma cornutum, Pleistocene of Texas, 207
Pinus ponderosa, ecology in South Dakota, 327
Pine, ponderosa, 327
Pinaceae, 327
Plecotus, chromosomes, 249
Plover, upland plover at Big Bend National Park, 361
Poeciliidae, new locality, 368
Poeciliopsis occidentalis, new locality, 368
Polanisia dodecandra riograndensis, ssp. nov., 115, 116
Polygonum texense, new species, 257
Prairie, community structure, 337
Prophet, Carl W., 317
Pseudacris clarki, Pleistocene of Texas, 205
Pseudaonidia duplex, 427
Pseudaonidia, Key to species in Texas, 427
Pseudaonidia paeoniae, 429
Purple finch, in west Texas, 452

Q

Quercus emoryi, seedling survival, 149
Quadraspidiotus forbesi, 429
Quadraspidiotus juglansregiae, 431
Quadraspidiotus, Key to species in Texas, 429
Quadraspidiotus perniciosus, 433
Quadraspidiotus socialis, 434
Quadraspidiotus taxodii, 437

Quercus turbinella, seedling survival, 149

R

Rael, Chester D., 371
Rana pipiens, Pleistocene of Texas, 205
Ramsey, Paul R., 351
Rat, yellow-nosed cotton rat home range, 353
Red-eyed vireo, in west Texas
Reeves, C. C., Jr., (reviewer), 373
Reptiles, from Southern Guerrero and Oaxaca, Mexico, 129
Rhinocheilus lecontei, Pleistocene of Texas, 209
Rhizaspidiotus dearnessi, 437
Ricinulei, 136
Robison, Henry W., 256
Roccus chrysops, sexual maturity from ovum diameters, 213
Rose, Francis L., 67
Rollo, Joe D., 171
Roth, Edward L., 450
Rowell, Chester M., Jr., (reviewer), 373
Rylander, Michael Kent, 452

S

Salamander, gray-bellied salamander in Kansas, 366; eggs, 366
Salb, T. J., 251
Sceloporus clarki, southwestern range limit, 129
Sceloporus grammicus disparilis, hibernacula, birth, and young, 363
Sceloporus undulatus, Pleistocene of Texas, 207
Shannon's formula, effect of sample size on, 441
Shiner, Arkansas River shiner in Red River system, 370
Shrew, distribution notes on desert shrew, 128
Sigmodon ochrognathus, home range, 353
Smilisca baudini, 131
Smith, Hobart M., 129
Soil, characteristics and grass rooting habits in East Central Texas, 377
Solidago altissima, new combination and variety, 372
Speotyto cunicularia, feeding ecology, 163
Spermophilus tridecemlineatus, differential reproduction, 293
Spiranthes parasitica (Orchidaceae), new to New Mexico, 447
Spotila, James R., 366
Sutton, Dallas A., 157

T

Targionia yuccarum, 439
Taxidea taxus, records from Mexico, 251
Teal, ecology in early fall, 171
Terrapene carolina, Pleistocene of Texas, 205
Terrapene ornata, desiccation rates and temperature relationships, 67
Thamnophis proximus rutiloris, 134
Thamnophis proximus (?), Pleistocene 209
Thomomys townsendii, *chromosomes*, 157
Thrasher, bill abnormality, 254
Thymelaea passerina, in western Nebraska, 128
Timken, R. L., 327
Todson, Thomas K., 448
Tomanek, G. W., 337
Topminnow, new locality for Gila topminnow, 368
Toxostoma rufum, bill abnormality, 254
Trees, wind training on prairies, 134
Tridens muticus forma *effusus*, 258
Turkowski, Frank J., 128
Turner, Frederick B., 189
Turtles, ecology of kinosternid turtles in Oklahoma, 31
Tyto alba, feeding ecology, 163

U

Urocyon cinereoargenteus, in western Texas and eastern New Mexico, 451

V

Van Amburg, G. L. and J. D. Dodd, 377
Vanalek, George J., 360
Vanicek, C. David, 297
Vegetation, map and community structure of prairie, 337
Vermilion flycatcher, in west Texas, 451

Vole, Mexican vole reproduction, 356
Vulpes fulva, in western Texas and eastern New Mexico, 450
Vulpes macrotis, in western Texas and eastern New Mexico, 450
Vulpes velox, in western Texas and eastern New Mexico, 450

W

Wall, J. R., 141
Warnock, Barton H., 127
Wauer, Roland H., 252, 361
Weber, William A., 373
Wentworth, Fred A., 157
Wheeler, John R., 371
Wilhm, Jerry L., 441
Wolf spider, ecology in Grand County Utah, 403

Y

Yellowthroat, in west Texas, 451